



<110> Heston, Warren D.W.
O'Keefe, Denise S.

<120> DNA Encoding the Prostate-Specific Membrane
Antigen-Like Gene and Uses Thereof

<130> D6230

<140> USSN 09/973,382

<141> 2001-10-09

<150> PCT/US00/09417

<151> 2000-04-09

<160> 38

<210> 1

<211> 1992

<212> DNA

<213> *Homo sapiens*

<220>

<223> cDNA sequence of PSMA-like gene

<400> 1

agcaaatact cactaccaca aataagaaca tttccaaatc tgatgttctg 50
aggattttta gagcttatag tagcaaaaag aaaagggaaa ttctctctga 100
gatgtccttt tttgtaggcc taatgacaaa aggttgaaga taaagttcta 150
gtactcattt aagtgtata ttgaaaattg atattaccaa atctggaaca 200
accaatttaa aataaggaaa gaaagacact gtgttttcta ggtaaaaaat 250
gccagctgg caggggccaa aggagtcatt ctctactcag accctgctga 300
ctactttgct cctgggggtga agtcctatcc agacgggttg aatcttcctg 350
gagggtggtg ccagcgtgga aatattcctaa atctgaatgg tgcaggagac 400
cctctcacac caggttaccc agcaaatgaa tacgcttata ggcatggaat 450
tgcagaggct gttgggtctt caagtattcc tgttcatcca gttggatact 500
atgatgcaca gaagctccta gaaaaaatgg gtggctcagc accaccagat 550
agcagctgga gaggaagtct caaagtgtcc tacaatgttg gacctggctt 600
tactggaaac ttttctacac aaaaagtcaa gatgcacatc cactctacca 650
atgaagtgac gagaatttac aatgtgatag gtactctcag aggagcagtg 700
gaaccagaca gatatgtcat tctgggaggt caccgggact catgggtggt 750
tggtggtatt gaccctcaga gtggagcagc tgttggtcat gaaactgtga 800
ggagcttttg aacactgaaa aaggaagggt ggagacctag aagaacaatt 850
ttgtttgcaa gctgggatgc agaagaattt ggtcttcttg gttctactga 900
gtgggcagag gataattcaa gactccttca agagcgtggc gtggcttata 950
ttaatgctga ctcatctata gaaggaaact acactctgag agttgattgt 1000
acaccactga tgtacagctt ggtatacaac ctaacaaaag agctgaaaag 1050
ccctgatgaa ggctttgaag gcaaatctct ttatgaaagt tggactaaaa 1100
aaagtccttc ccagaggttc agtggcatgc ccaggataag caaattggga 1150
tctggaaatg attttgaggt gttcttccaa cgacttgga ttgcttcagg 1200
cagagcacgg tataactaaa attgggaac aaacaaatc agcggctatc 1250
cactgtatca cagtgtctat gaaacatat agttgggtgga aaagttttat 1300

RECEIVED

SEP 10 2003

TECH CENTER 1600/2900

```

gatccaatgt ttaaatatca cctcactgtg gcccaggttc gaggagggat 1350
ggtgttttgag ctagccaatt ccatagtgct cccttttgat tgtcgagatt 1400
atgctgtagt tttaagaaag tatgctgaca aaatctacaa tatttctatg 1450
aaacatccac aggaaatgaa gacatacagt ttatcatttg attcactttt 1500
ttctgcagta aaaaatttta cagaaattgc ttccaagttc agcgagagac 1550
tccaggactt tgacaaaagc aacccaatat tgttaagaat gatgaatgat 1600
caactcatgt ttctggaaag agcatttatt gatccattag ggttaccaga 1650
cagacctttt tataggcatg tcatctatgc tccaagcagc cacaacaagt 1700
atgcagggga gtcattccca ggaatttatg atgctctgtt tgatattgaa 1750
agcaaagtgg acccttccaa ggcctgggga gatgtgaaga gacagatttc 1800
tgttgcagcc ttcacagtgc aggcagctgc agagactttg agtgaagtag 1850
cctaagagga ttcttttagag actctgtatt gaatttgtgt ggtatgtcac 1900
tcaaagaata ataatgggta tattgataaa ttttaaaatt ggtatatttg 1950
aaataaagtt gaatattata tataaaaaaa aaaaaaaaaa aa 1992

```

```

<210>      2
<211>     442
<212>     PRT
<213>     Homo sapiens

```

```

<220>
<223>     deduced amino acid sequence of PSMA-like
           protein

```

```

<400>      2
Met Gly Gly Ser Ala Pro Pro Asp Ser Ser Trp Arg Gly Ser Leu
           5                      10                      15
Lys Val Ser Tyr Asn Val Gly Pro Gly Phe Thr Gly Asn Phe Ser
           20                      25                      30
Thr Gln Lys Val Lys Met His Ile His Ser Thr Asn Glu Val Thr
           35                      40                      45
Arg Ile Tyr Asn Val Ile Gly Thr Leu Arg Gly Ala Val Glu Pro
           50                      55                      60
Asp Arg Tyr Val Ile Leu Gly Gly His Arg Asp Ser Trp Val Phe
           65                      70                      75
Gly Gly Ile Asp Pro Gln Ser Gly Ala Ala Val Val His Glu Thr
           80                      85                      90
Val Arg Ser Phe Gly Thr Leu Lys Lys Glu Gly Trp Arg Pro Arg
           95                     100                     105
Arg Thr Ile Leu Phe Ala Ser Trp Asp Ala Glu Glu Phe Gly Leu
           110                    115                    120
Leu Gly Ser Thr Glu Trp Ala Glu Asp Asn Ser Arg Leu Leu Gln
           125                    130                    135

```

Glu Arg Gly Val Ala Tyr Ile Asn Ala Asp Ser Ser Ile Glu Gly	140	145	150
Asn Tyr Thr Leu Arg Val Asp Cys Thr Pro Leu Met Tyr Ser Leu	155	160	165
Val Tyr Asn Leu Thr Lys Glu Leu Lys Ser Pro Asp Glu Gly Phe	170	175	180
Glu Gly Lys Ser Leu Tyr Glu Ser Trp Thr Lys Lys Ser Pro Ser	185	190	195
Pro Glu Phe Ser Gly Met Pro Arg Ile Ser Lys Leu Gly Ser Gly	200	205	210
Asn Asp Phe Glu Val Phe Phe Gln Arg Leu Gly Ile Ala Ser Gly	215	220	225
Arg Ala Arg Tyr Thr Lys Asn Trp Glu Thr Asn Lys Phe Ser Gly	230	235	240
Tyr Pro Leu Tyr His Ser Val Tyr Glu Thr Tyr Glu Leu Val Glu	245	250	255
Lys Phe Tyr Asp Pro Met Phe Lys Tyr His Leu Thr Val Ala Gln	260	265	270
Val Arg Gly Gly Met Val Phe Glu Leu Ala Asn Ser Ile Val Leu	275	280	285
Pro Phe Asp Cys Arg Asp Tyr Ala Val Val Leu Arg Lys Tyr Ala	290	295	300
Asp Lys Ile Tyr Asn Ile Ser Met Lys His Pro Gln Glu Met Lys	305	310	315
Thr Tyr Ser Leu Ser Phe Asp Ser Leu Phe Ser Ala Val Lys Asn	320	325	330
Phe Thr Glu Ile Ala Ser Lys Phe Ser Glu Arg Leu Gln Asp Phe	335	340	345
Asp Lys Ser Asn Pro Ile Leu Leu Arg Met Met Asn Asp Gln Leu	350	355	360
Met Phe Leu Glu Arg Ala Phe Ile Asp Pro Leu Gly Leu Pro Asp	365	370	375
Arg Pro Phe Tyr Arg His Val Ile Tyr Ala Pro Ser Ser His Asn	380	385	390

Lys Tyr Ala Gly Glu Ser Phe Pro Gly Ile Tyr Asp Ala Leu Phe
 395 400 405
 Asp Ile Glu Ser Lys Val Asp Pro Ser Lys Ala Trp Gly Asp Val
 410 415 420
 Lys Arg Gln Ile Ser Val Ala Ala Phe Thr Val Gln Ala Ala Ala
 425 430 435
 Glu Thr Leu Ser Glu Val Ala
 440

<210> 3
 <211> 2653
 <212> DNA
 <213> *Homo sapiens*

<220>
 <223> nucleotide sequence of human PSMA gene

<300>
 <308> GenBank Accession No. M99487
 <309> 1995-01-08

<400> 3
 ctcaaaaggg gccggatttc cttctcctgg aggcagatgt tgcctctctc 50
 tctcgctcgg attgggttcag tgcactctag aaacactgct gtggtggaga 100
 aactggaccc caggctctgga gcgaattcca gcctgcaggg ctgataagcg 150
 aggcattagt gagattgaga gagactttac cccgccgtgg tggttggagg 200
 gcgcgcagta gagcagcagc acaggcgcgg gtcccgggag gccggctctg 250
 ctgcgcgcca gatgtggaat ctcccttcacg aaaccgactc ggctgtggcc 300
 accgcgcgcc gccgcgcgctg gctgtgcgct ggggcgctgg tgctggcggg 350
 tggcttcttt ctccctcggt tctctctcgg gtggtttata aaatcctcca 400
 atgaagctac taacattact ccaaagcata atatgaaagc atttttggat 450
 gaattgaaag ctgagaacat caagaagtgc ttatataatt ttacacagat 500
 accacattta gcaggaacag aacaaaactt tcagcttgca aagcaaattc 550
 aatcccagtg gaaagaattt ggcctggatt ctgttgagct agcacattat 600
 gatgtcctgt tgtcctaccc aaataagact catcccaact acatctcaat 650
 aattaatgaa gatggaaatg agattttcaa cacatcatta tttgaaccac 700
 ctctccaggg atatgaaaat gtttcggata ttgtaccacc tttcagtgct 750
 ttctctcctc aaggaatgcc agaggcgcat ctagtgtatg ttaactatgc 800
 acgaactgaa gacttcttta aattggaacg ggacatgaaa atcaattgct 850
 ctgggaaaat tgtaattgcc agatatggga aagttttcag aggaaataag 900
 gttaaaaatg cccagctggc aggggcaaaa ggagtcattc tctactccga 950
 ccctgctgac tactttgctc ctggggtgaa gtcctatcca gatggttgga 1000
 atcttcctgg aggtggtgtc cagcgtggaa atatcctaaa tctgaatggt 1050
 gcaggagacc ctctcacacc aggttaccca gcaaatgaat atgcttatag 1100
 gcgtggaatt gcagaggctg ttggtcttcc aagtattcct gttcatccaa 1150
 ttggatacta tgatgcacag aagctcctag aaaaaatggg tggctcagca 1200
 ccaccagata gcagctggag aggaagtctc aaagtgccct acaatgttgg 1250

```

acctggccttt actggaaact tttctacaca aaaagtcaag atgcacatcc 1300
actctaccaa tgaagtgaca agaatttaca atgtgatagg tactctcaga 1350
ggagcagtgg aaccagacag atatgtcatt ctgggagggtc accgggactc 1400
atgggtgttt ggtggtattg accctcagag tggagcagct gttgttcatg 1450
aaattgtgag gagcttttga acactgaaaa aggaaggggtg gagacctaga 1500
agaacaattt tgtttgcaag ctgggatgca gaagaatttg gtcttcttgg 1550
ttctactgag tgggcagagg agaattcaag actccttcaa gagcgtggcg 1600
tggcttatat taatgctgac tcatctatag aaggaaacta cactctgaga 1650
gttgattgta caccgctgat gtacagcttg gtacacaacc taacaaaaga 1700
gctgaaaagc cctgatgaag gctttgaagg caaatctctt tatgaaagtt 1750
ggactaaaaa aagtccttcc ccagagttca gtggcatgcc caggataagc 1800
aaattgggat ctggaaatga ttttgagggtg ttcttccaac gacttggaa 1850
tgcttcaggc agagcacggt atactaaaaa ttgggaaaca aacaaattca 1900
gcggctatcc actgtatcac agtgtctatg aaacatatga gttggtggaa 1950
aagttttatg atccaatgtt taaatatcac ctactgtgg cccaggttcg 2000
aggagggatg gtgtttgagc tagccaattc catagtgtc ccttttgatt 2050
gtcgagatta tgctgtagtt ttaagaaagt atgctgacaa aatctacagt 2100
atctctatga aacatccaca ggaaatgaag acatacagt tatcatttga 2150
ttcacttttt tctgcagtaa agaattttac agaaattgct tccaagttca 2200
gtgagagact ccaggacttt gacaaaagca acccaatagt attaagaatg 2250
atgaatgatc aactcatgtt tctggaaaga gcatttattg atccattagg 2300
gttaccagac aggccttttt ataggcatgt catctatgct ccaagcagcc 2350
acaacaagta tgcaggggag tcattcccag gaatttatga tgctctgttt 2400
gatattgaaa gcaaagtgga cccttccaag gcctggggag aagtgaagag 2450
acagatttat gttgcagcct tcacagtgca ggcagctgca gagactttga 2500
gtgaagtagc ctaagaggat tcttttagaga atccgtattg aatttgtgtg 2550
gtatgtcact cagaaagaat cgtaatgggt atattgataa attttaaaat 2600
tggtatatatt gaaataaagt tgaatattat atataaaaaa aaaaaaaaaa 2650
aaa
2653

```

```

<210>      4
<211>      750
<212>      PRT
<213>      Homo sapiens

```

```

<220>
<223>      deduced amino acid sequence of PSMA protein

```

```

<400>      4
Met Trp Asn Leu Leu His Glu Thr Asp Ser Ala Val Ala Thr Ala
              5                      10                      15
Arg Arg Pro Arg Trp Leu Cys Ala Gly Ala Leu Val Leu Ala Gly
              20                      25                      30
Gly Phe Phe Leu Leu Gly Phe Leu Phe Gly Trp Phe Ile Lys Ser
              35                      40                      45
Ser Asn Glu Ala Thr Asn Ile Thr Pro Lys His Asn Met Lys Ala
              50                      55                      60

```

Phe	Leu	Asp	Glu	Leu	Lys	Ala	Glu	Asn	Ile	Lys	Lys	Phe	Leu	Tyr	65	70	75
Asn	Phe	Thr	Gln	Ile	Pro	His	Leu	Ala	Gly	Thr	Glu	Gln	Asn	Phe	80	85	90
Gln	Leu	Ala	Lys	Gln	Ile	Gln	Ser	Gln	Trp	Lys	Glu	Phe	Gly	Leu	95	100	105
Asp	Ser	Val	Glu	Leu	Ala	His	Tyr	Asp	Val	Leu	Leu	Ser	Tyr	Pro	110	115	120
Asn	Lys	Thr	His	Pro	Asn	Tyr	Ile	Ser	Ile	Ile	Asn	Glu	Asp	Gly	125	130	135
Asn	Glu	Ile	Phe	Asn	Thr	Ser	Leu	Phe	Glu	Pro	Pro	Pro	Pro	Gly	140	145	150
Tyr	Glu	Asn	Val	Ser	Asp	Ile	Val	Pro	Pro	Phe	Ser	Ala	Phe	Ser	155	160	165
Pro	Gln	Gly	Met	Pro	Glu	Gly	Asp	Leu	Val	Tyr	Val	Asn	Tyr	Ala	170	175	180
Arg	Thr	Glu	Asp	Phe	Phe	Lys	Leu	Glu	Arg	Asp	Met	Lys	Ile	Asn	185	190	195
Cys	Ser	Gly	Lys	Ile	Val	Ile	Ala	Arg	Tyr	Gly	Lys	Val	Phe	Arg	200	205	210
Gly	Asn	Lys	Val	Lys	Asn	Ala	Gln	Leu	Ala	Gly	Ala	Lys	Gly	Val	215	220	225
Ile	Leu	Tyr	Ser	Asp	Pro	Ala	Asp	Tyr	Phe	Ala	Pro	Gly	Val	Lys	230	235	240
Ser	Tyr	Pro	Asp	Gly	Trp	Asn	Leu	Pro	Gly	Gly	Gly	Val	Gln	Arg	245	250	255
Gly	Asn	Ile	Leu	Asn	Leu	Asn	Gly	Ala	Gly	Asp	Pro	Leu	Thr	Pro	260	265	270
Gly	Tyr	Pro	Ala	Asn	Glu	Tyr	Ala	Tyr	Arg	Arg	Gly	Ile	Ala	Glu	275	280	285
Ala	Val	Gly	Leu	Pro	Ser	Ile	Pro	Val	His	Pro	Ile	Gly	Tyr	Tyr	290	295	300
Asp	Ala	Gln	Lys	Leu	Leu	Glu	Lys	Met	Gly	Gly	Ser	Ala	Pro	Pro	305	310	315

Asp Ser Ser Trp Arg Gly Ser Leu Lys Val Pro Tyr Asn Val Gly	320	325	330
Pro Gly Phe Thr Gly Asn Phe Ser Thr Gln Lys Val Lys Met His	335	340	345
Ile His Ser Thr Asn Glu Val Thr Arg Ile Tyr Asn Val Ile Gly	350	355	360
Thr Leu Arg Gly Ala Val Glu Pro Asp Arg Tyr Val Ile Leu Gly	365	370	375
Gly His Arg Asp Ser Trp Val Phe Gly Gly Ile Asp Pro Gln Ser	380	385	390
Gly Ala Ala Val Val His Glu Ile Val Arg Ser Phe Gly Thr Leu	395	400	405
Lys Lys Glu Gly Trp Arg Pro Arg Arg Thr Ile Leu Phe Ala Ser	410	415	420
Trp Asp Ala Glu Glu Phe Gly Leu Leu Gly Ser Thr Glu Trp Ala	425	430	435
Glu Glu Asn Ser Arg Leu Leu Gln Glu Arg Gly Val Ala Tyr Ile	440	445	450
Asn Ala Asp Ser Ser Ile Glu Gly Asn Tyr Thr Leu Arg Val Asp	455	460	465
Cys Thr Pro Leu Met Tyr Ser Leu Val His Asn Leu Thr Lys Glu	470	475	480
Leu Lys Ser Pro Asp Glu Gly Phe Glu Gly Lys Ser Leu Tyr Glu	485	490	495
Ser Trp Thr Lys Lys Ser Pro Ser Pro Glu Phe Ser Gly Met Pro	500	505	510
Arg Ile Ser Lys Leu Gly Ser Gly Asn Asp Phe Glu Val Phe Phe	515	520	525
Gln Arg Leu Gly Ile Ala Ser Gly Arg Ala Arg Tyr Thr Lys Asn	530	535	540
Trp Glu Thr Asn Lys Phe Ser Gly Tyr Pro Leu Tyr His Ser Val	545	550	555
Tyr Glu Thr Tyr Glu Leu Val Glu Lys Phe Tyr Asp Pro Met Phe	560	565	570

Lys Tyr His Leu Thr Val Ala Gln Val Arg Gly Gly Met Val Phe		
	575	580 585
Glu Leu Ala Asn Ser Ile Val Leu Pro Phe Asp Cys Arg Asp Tyr		
	590	595 600
Ala Val Val Leu Arg Lys Tyr Ala Asp Lys Ile Tyr Ser Ile Ser		
	605	610 615
Met Lys His Pro Gln Glu Met Lys Thr Tyr Ser Val Ser Phe Asp		
	620	625 630
Ser Leu Phe Ser Ala Val Lys Asn Phe Thr Glu Ile Ala Ser Lys		
	635	640 645
Phe Ser Glu Arg Leu Gln Asp Phe Asp Lys Ser Asn Pro Ile Val		
	650	655 660
Leu Arg Met Met Asn Asp Gln Leu Met Phe Leu Glu Arg Ala Phe		
	665	670 675
Ile Asp Pro Leu Gly Leu Pro Asp Arg Pro Phe Tyr Arg His Val		
	680	685 690
Ile Tyr Ala Pro Ser Ser His Asn Lys Tyr Ala Gly Glu Ser Phe		
	695	700 705
Pro Gly Ile Tyr Asp Ala Leu Phe Asp Ile Glu Ser Lys Val Asp		
	710	715 720
Pro Ser Lys Ala Trp Gly Glu Val Lys Arg Gln Ile Tyr Val Ala		
	725	730 735
Ala Phe Thr Val Gln Ala Ala Ala Glu Thr Leu Ser Glu Val Ala		
	740	745 750

<210> 5
 <211> 28
 <212> DNA
 <213> Artificial sequence

<220>
 <221> primer_bind
 <223> sense primer designed for only amplifying
 the first intron of the PSMA-like gene on
 chromosome 11q

<400> 5
 gccttcattt tcagaacatc tcatgcat

28

<210>	6	
<211>	25	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	antisense primer designed for only amplifying the first intron of the PSMA- like gene on chromosome 11q	
<400>	6	
gtccatataa actttcaaga atgtg		25
<210>	7	
<211>	20	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	sense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exon 2)	
<400>	7	
ctcacctaata gtcagaggta		20
<210>	8	
<211>	20	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	antisense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exon 2)	
<400>	8	
agtatagtcc tcctcagatg		20
<210>	9	
<211>	24	
<212>	DNA	
<213>	Artificial sequence	

<220>
 <221> primer_bind
 <223> sense oligonucleotide primer based upon
 intronic sequences of the PSMA genomic
 clone used to amplify the corresponding
 regions of the PSMA-like gene (exon 3)

<400> 9
 caaagtactt ttgtgtaact ctgc 24

<210> 10
 <211> 22
 <212> DNA
 <213> Artificial sequence

<220>
 <221> primer_bind
 <223> antisense oligonucleotide primer based upon
 intronic sequences of the PSMA genomic
 clone used to amplify the corresponding
 regions of the PSMA-like gene (exon 3)

<400> 10
 cataggaaag tagttgacac gg 22

<210> 11
 <211> 22
 <212> DNA
 <213> Artificial sequence

<220>
 <221> primer_bind
 <223> sense oligonucleotide primer based upon
 intronic sequences of the PSMA genomic
 clone used to amplify the corresponding
 regions of the PSMA-like gene (exon 4)

<400> 11
 cctgaaggat tcattcaccc tc 22

<210> 12
 <211> 24
 <212> DNA
 <213> Artificial sequence

<220>
 <221> primer_bind
 <223> antisense oligonucleotide primer based upon

intronic sequences of the PSMA genomic
clone used to amplify the corresponding
regions of the PSMA-like gene (exon 4)

<400> 12
gaccctttaa ttatcggctg aaca 24

<210> 13
<211> 22
<212> DNA
<213> Artificial sequence

<220>
<221> primer_bind
<223> sense oligonucleotide primer based upon
intronic sequences of the PSMA genomic
clone used to amplify the corresponding
regions of the PSMA-like gene (exons 5-6)

<400> 13
atgtccaaca gtcccatgc ag 22

<210> 14
<211> 22
<212> DNA
<213> Artificial sequence

<220>
<221> primer_bind
<223> antisense oligonucleotide primer based upon
intronic sequences of the PSMA genomic
clone used to amplify the corresponding
regions of the PSMA-like gene (exons 5-6)

<400> 14
gacatgctta gtccattgta cc 22

<210> 15
<211> 22
<212> DNA
<213> Artificial sequence

<220>
<221> primer_bind
<223> sense oligonucleotide primer based upon
intronic sequences of the PSMA genomic
clone used to amplify the corresponding
regions of the PSMA-like gene (exon 7)

<400>	15	
gaaccgtttg aatgaaactg ag		22
<210>	16	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	antisense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exon 7)	
<400>	16	
ttacccaa at agccatccat gg		22
<210>	17	
<211>	23	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	sense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exons 8-9)	
<400>	17	
gcagatgctc aataagtga tcc		23
<210>	18	
<211>	24	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	antisense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exons 8-9)	
<400>	18	
ccagcacata acagttactt gatc		24
<210>	19	

<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	sense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exon 10)	
<400>	19	
tagatgctat	tgagtcgttt gc	22
<210>	20	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	antisense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exon 10)	
<400>	20	
aaactgagac	tcagataggc tg	22
<210>	21	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	sense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exon 11)	
<400>	21	
ctgggcttgg	tagtgtcctg gg	22
<210>	22	
<211>	24	
<212>	DNA	
<213>	Artificial sequence	

<220>
 <221> primer_bind
 <223> antisense oligonucleotide primer based upon
 intronic sequences of the PSMA genomic
 clone used to amplify the corresponding
 regions of the PSMA-like gene (exon 11)

<400> 22
 gcttggcaaa caagtcctgg ctac 24

<210> 23
 <211> 22
 <212> DNA
 <213> Artificial sequence

<220>
 <221> primer_bind
 <223> sense oligonucleotide primer based upon
 intronic sequences of the PSMA genomic
 clone used to amplify the corresponding
 regions of the PSMA-like gene (exon 12)

<400> 23
 tgtcgtaat atgggtcagc tc 22

<210> 24
 <211> 22
 <212> DNA
 <213> Artificial sequence

<220>
 <221> primer_bind
 <223> antisense oligonucleotide primer based upon
 intronic sequences of the PSMA genomic
 clone used to amplify the corresponding
 regions of the PSMA-like gene (exon 12)

<400> 24
 ttaactagac tgctgctcct ag 22

<210> 25
 <211> 22
 <212> DNA
 <213> Artificial sequence

<220>
 <221> primer_bind
 <223> sense oligonucleotide primer based upon
 intronic sequences of the PSMA genomic

clone used to amplify the corresponding
regions of the PSMA-like gene (exon 13)

<400> 25
tggttaggaat ttagcagtgg tc

22

<210> 26
<211> 22
<212> DNA
<213> Artificial sequence

<220>
<221> primer_bind
<223> antisense oligonucleotide primer based upon
intronic sequences of the PSMA genomic
clone used to amplify the corresponding
regions of the PSMA-like gene (exon 13)

<400> 26
gatgctacta atgggctacc tc

22

<210> 27
<211> 22
<212> DNA
<213> Artificial sequence

<220>
<221> primer_bind
<223> sense oligonucleotide primer based upon
intronic sequences of the PSMA genomic
clone used to amplify the corresponding
regions of the PSMA-like gene (exon 14)

<400> 27
cttctggtta atggacatct ag

22

<210> 28
<211> 22
<212> DNA
<213> Artificial sequence

<220>
<221> primer_bind
<223> antisense oligonucleotide primer based upon
intronic sequences of the PSMA genomic
clone used to amplify the corresponding
regions of the PSMA-like gene (exon 14)

<400> 28
caatcccaca ctgaattcag tg

22

<210>	29	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	sense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exon 15)	
<400>	29	
agaatggggt	ttagtttaat	gg 22
<210>	30	
<211>	21	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	antisense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exon 15)	
<400>	30	
tgagtcactt	tttgaggtca	g 21
<210>	31	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	sense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exons 16-17)	
<400>	31	
ttgtaagcta	cccctataag	ag 22
<210>	32	
<211>	22	

<212> DNA
 <213> Artificial sequence

 <220>
 <221> primer_bind
 <223> antisense oligonucleotide primer based upon
 intronic sequences of the PSMA genomic
 clone used to amplify the corresponding
 regions of the PSMA-like gene (exons 16-17)

 <400> 32
 agttcagcaa cagtcatggt ag 22

 <210> 33
 <211> 22
 <212> DNA
 <213> Artificial sequence

 <220>
 <221> primer_bind
 <223> sense oligonucleotide primer based upon
 intronic sequences of the PSMA genomic
 clone used to amplify the corresponding
 regions of the PSMA-like gene (exon 18)

 <400> 33
 ggggtggtcct gaaaccaatc cc 22

 <210> 34
 <211> 21
 <212> DNA
 <213> Artificial sequence

 <220>
 <221> primer_bind
 <223> antisense oligonucleotide primer based upon
 intronic sequences of the PSMA genomic
 clone used to amplify the corresponding
 regions of the PSMA-like gene (exon 18)

 <400> 34
 gtgatattac agaaaggagt c 21

 <210> 35
 <211> 22
 <212> DNA
 <213> Artificial sequence

 <220>

<221>	primer_bind	
<223>	sense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exon 19)	
<400>	35	
atccaggaat	tcgacagagtgc	tc
		22
<210>	36	
<211>	22	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	antisense oligonucleotide primer based upon intronic sequences of the PSMA genomic clone used to amplify the corresponding regions of the PSMA-like gene (exon 19)	
<400>	36	
ttcagtttta	atccataggg	ag
		22
<210>	37	
<211>	24	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	sense primer (exon 10) used for performing PCR on cDNAs from various tissues	
<400>	37	
acagatatgt	cattctggga	ggtc
		24
<210>	38	
<211>	24	
<212>	DNA	
<213>	Artificial sequence	
<220>		
<221>	primer_bind	
<223>	antisense primer (exon 16) used for performing PCR on cDNAs from various tissues	
<400>	38	
actgtgatac	agtggatagc	cgct
		24